

Merchant & Gould

An Intellectual Property Law Firm

3200 IDS Center
80 South Eighth Street
Minneapolis, Minnesota 55402-2215
USA
Tel (612) 332-5300
Fax (612) 332-9081

www.merchant-gould.com

RECEIVED
CENTRAL FAX CENTER
JUN 09 2006

Fax Transmission | June 9, 2006

TO: Commissioner for Patents
Attn: Examiner Carol M. Koslow
Patent Examining Corps
Facsimile Center
Alexandria, VA 22313

FROM: Brian H. Batzli

OUR REF: 00594.0539USWO
TELEPHONE: (612) 332-5300

Total pages, including cover letter: 20

PTO FAX NUMBER 571.273.8300

If you do NOT receive all of the pages, please telephone us at (612) 332-5300, or fax us at (612) 332-9081.

Title of Document Transmitted:	<u>Amendment: Replacement Sheet</u>
Applicant:	Komatsu et al.
Serial No.:	10/500426
Filed:	06/28/2004
Group Art Unit:	1755
Confirmation No.:	9300
Our Ref. No.:	00594.0539USWO

Please charge any additional fees or credit overpayment to Deposit Account No. 13-2725. Please consider this a PETITION FOR EXTENSION OF TIME for a sufficient number of months to enter these papers, if appropriate.

By: Brian H. Batzli
Name: Brian H. Batzli
Reg. No.: 32,960

I hereby certify that this paper is being transmitted by facsimile to the U.S. Patent and Trademark Office on the date shown below.

Lisa Hill

Lisa Hill
Signature

6-9-06
Date

GEN033.DOC

RECEIVED
CENTRAL FAX CENTER

JUN 09 2006

S/N 10/500,426PATENTIN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	KOMATSU et al	Examiner:	CAROL M. KOSLOW
Serial No.:	10/500,426	Group Art Unit:	1755
Filed:	06/28/2004	Docket No.:	594.539USWO
Title:	ELECTROLYTIC CAPACITOR AND ELECTROLYTE SOLUTION FOR USE IN AN ELECTROLYTIC CAPACITOR (AS AMENDED)		

AMENDMENT AND RESPONSE

Mail Stop AMENDMENT
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In response to the Office Action mailed March 9, 2006, please amend the above-identified application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims that begins on page 4 of this paper.

Amendments to the Drawings begin on page 10 of this paper and a replacement drawing sheet of Figure 1 is attached.

Remarks begin on page 11 of this paper.